







High-tech design



Cloud base services



Green / Eco-friendly





Inter-Linkable




NexEsign is an ultra - transparent glass LED display using NEXNOVO's patented integrated - IC technology and nano film circuits . This display has an all - in - one cloud base content creation & management application , allowing a complete central administration . a new generation of LUXMAGE smart high - tech displays that brings innovation to any and most markets requiring efficient and avant - guard signage .


Core technology

Research and development of integrated-IC technology


We make brighter displays
We make displays more vivid and responsive



Light, Transparent & Thin




Inter-Linkable



Easy installation

Ease and simplicity of operation





Easy and centralized management

- ◆ NexCloud services or HDMI input.
- ◆ NexCloud is a web platform where publishing content is made easy.
- ◆ "One-click" easy publish and remote management on your mobile phone or on the web portal.
- ◆ Professional customized content services are available.



Create & Publish yourself

Multiple libraries of content are available, such as; fonts, backgrounds, animations and many more templates.

Decide on a template, customize, and then publish!

Making content designing a breeze.

Be your own design specialist.

















Background Library




Publish



Stay in control with centralized management

Support flexible and simple hierarchical policies.

Never has content publishing been so flexible and safe.





Real-time display locator

Geographic positioning of your displays can be seen directly on the application

A smart application for an innovative display

NexEsign is versatile, use it for simple way finders, critical information displays or just amazing advertisers. In environment such as; airports, train stations, retail stores, healthcare, education system, corporate offices, food and beverage industry, tourist sites and much more.












Specifications



Model	NT
LED model	T2020
Display size (WxH) (mm)	800 x 500
Cabinet size (WxH) (mm)	800 x 562
Pixel density (dot)	3648
Pixel pitch (mm)	10.52 x 10.42
Brightness (cd/panel)	≤5000
Max. power (W/panel)	240
Ave. power (W/panel)	100
Transparency	92%
Weight (kg/panel)	10
Ingress protection	IP54
Refresh rate (Hz)	≥1920





Website: www.luxmage.com Hotline: 0909.965.198 - 0988.895.066 Email: sale@luxmage.com

Lillali. Sale@luxillage.com